CAREGIVER'S GUIDE Help in the fight against partial-onset seizures

Brought to you by SK Life Science, Inc.

XCOPRI® (cenobamate tablets) CV is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older.

IMPORTANT SAFETY INFORMATION FOR XCOPRI® (cenobamate tablets) CV

DO NOT TAKE XCOPRI IF YOU:

- · Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

Please see additional Important Safety Information on pages 10-11 and full Prescribing Information and Medication Guide in pocket.



YUUR HALF

"My sister. My friend. My caregiver. She never let me quit. And with XCOPRI[®] (cenobamate tablets) CV, our fight against partial-onset seizures has new potential."

> Dana L Model portrayal.

This brochure contains helpful information about **caregiver self-care** you may find useful. Many caregivers put their own needs aside in order to fulfill their responsibilities.

Never forget the importance of practicing self-care.

• Self-care practices can help you cope with the ups and downs of caregiving • By helping with daily tasks and ensuring the safety of a loved one, you are critical to the well-being of a friend or family member with epilepsy

Now that your loved one is starting treatment with XCOPRI® (cenobamate tablets) CV, you are also helping them fight against partial-onset seizures.

IMPORTANT SAFETY INFORMATION (cont'd)

XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

Allergic reactions: XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eves, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.

Please see additional Important Safety Information on pages 10-11 and full Prescribing Information and Medication Guide in pocket.

(cenobamate tablets) 👁 12.5 • 25 • 50 • 100 • 150 • 200 mg

SELF-CHHE FUH YUUH BUL

"I couldn't ask for a better person to help me. He never lets me give up. He's truly a hero."

> Greg S. Model portrayal.



Attend to your own healthcare needs: Keep up with your own doctor's appointments

Get proper rest and nutrition: Being overly tired or undernourished can impact your ability to cope

Exercise regularly: Activity is not only good for your health, it's also a great stress manager. Be sure to consult with your healthcare provider before starting a new exercise regimen

IMPORTANT SAFETY INFORMATION (cont'd)

QT shortening: XCOPRI[®] (cenobamate tablets) CV may cause problems with the electrical system of the heart (QT shortening). Call your healthcare provider if you have symptoms of QT shortening including fast heartbeat (heart palpitations) that last a long time or fainting.

Please see additional Important Safety Information on pages 10-11 and full Prescribing Information and Medication Guide in pocket.



SELF-CARE FOR YOUR MIN

"My younger brother has been dealing with this for years. He looks up to me for help. But the sheer courage he shows every day, I'm the one who's looked up to him forever."

Sarah H. Caregiver model portrayal.



Learn and use stress-reduction techniques: Meditate, take a walk, have coffee with a friend, catch a movie, read a book, take some simple "me-time"

Join a support group: Talk with other caregivers going through the same thing you are. (A list of caregiver support groups is on page 9 of this brochure)

IMPORTANT SAFETY INFORMATION (cont'd)

Suicidal behavior and ideation: Antiepileptic drugs, including XCOPRI, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your health care provider right away if you have any of the following symptoms, especially if they are new, worse, or worry you: thoughts about suicide or dying; attempting to commit suicide; new or worse depression, anxiety, or irritability; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); acting aggressive; being angry or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

Please see additional Important Safety Information on pages 10-11 and full Prescribing Information and Medication Guide in pocket.

Identify a venting buddy: Connect with someone with whom you can share your real feelings and not worry about being judged

Ask for help: Be up front and ask for help when you need it. Keep a list of small tasks that others can easily help you with, like picking up medicines, groceries, or helping to run errands

Find a caregiver community

online (such as the one on Facebook at www.facebook.com/groups/ CaregiversHubSupportGroup): Share and read the stories of other people who can relate and even provide feedback, including coping ideas



WITH OTHER CAREGIVERS

Support groups allow you to talk to others who are experiencing the same joys and challenges, and who can not only empathize but also offer valuable insights and suggestions.

FIND A SUPPORT GROUP NEAR YOU

Epilepsy Foundation Community Forums and Local Support Groups

Talking with other caregivers may help relieve the stresses you might feel as a caregiver. Connect online at epilepsy.com/connect or find a local support group at the Epilepsy Foundation near you at **epilepsy.com/local**

Caregiver Action Network (CAN)

The nation's leading family caregiver organization working to improve quality of life for the more than 90 million Americans who care for loved ones with chronic conditions. www.caregiveraction.org

Rosalvnn Carter Institute for Caregiving (RCI)

RCI's priority is the unpaid family caregiver-individuals who care for a relative, friend, or loved one. Learn more about RCI programs at www.rosalynncarter.org

Caregiver Support Services

Supports family and professional caregivers by offering services such as medication training, case management, self-advocacy, and much more. www.caregiversupportservices.org

This is not a complete list of available support groups. SK Life Science, Inc. does not recommend or endorse any specific support group.

Caregivers Hub Support Group: A Place for Caregivers

A private Facebook group that specifically welcomes all caregiversfrom the brand new to the veteran. Join at www.facebook.com/groups/ CaregiversHubSupportGroup

ARCH National Respite Network and Resource Center

Provides planned or emergency care to a child or adult with special needs—thereby offering temporary relief to family caregivers who are caring for that individual. www.archrespite.org



IMPORTANT SAFETY INFORMATION FOR XCOPRI® (cenobamate tablets) CV

DO NOT TAKE XCOPRI IF YOU:

• Are allergic to cenobamate or any of the other ingredients in XCOPRI. Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS. INCLUDING:

Allergic reactions: XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eves, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes. painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. Take XCOPRI exactly as your healthcare provider tells vou to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.

QT shortening: XCOPRI may cause problems with the electrical system of the heart (QT shortening). Call your healthcare provider if you have symptoms of OT shortening including fast heartbeat (heart palpitations) that last a long time or fainting.

Suicidal behavior and ideation: Antiepileptic drugs, including XCOPRI, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your health care provider right away if you have any of the following symptoms, especially if they are new, worse, or worry you: thoughts about suicide or dying; attempting to commit suicide; new or worse depression, anxiety, or irritability; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); acting aggressive; being angry or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

Nervous system problems: XCOPRI may cause problems that affect your nervous system. Symptoms of nervous system problems include: dizziness, trouble walking or with coordination, feeling sleepy and tired, trouble concentrating, remembering, and thinking clearly, and vision problems. Do not drive, operate heavy machinery, or do other dangerous activities until you know how XCOPRI affects you.

Do not drink alcohol or take other medicines that can make you sleepy or dizzy while taking XCOPRI without first talking to your healthcare provider.

DISCONTINUATION: Do not stop taking XCOPRI without first talking to your healthcare provider. Stopping XCOPRI suddenly can cause serious problems. Stopping seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

DRUG INTERACTIONS: XCOPRI[®] (cenobamate tablets) CV may affect the way other medicines work, and other medicines may affect how XCOPRI works. Do not start or stop other medicines without talking to your healthcare provider. Tell healthcare providers about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements.

PREGNANCY AND LACTATION: XCOPRI may cause your birth control medicine to be less effective. Talk to your health care provider about the best birth control method to use.

Talk to your health care provider if you are pregnant or plan to become pregnant. It is not known if XCOPRI will harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking XCOPRI. You and your healthcare provider will decide if you should take XCOPRI while you are pregnant. If you become pregnant while taking XCOPRI, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334 or go to www.aedpregnancyregistry.org.

Talk to your health care provider if you are breastfeeding or plan to breastfeed. It is not known if XCOPRI passes into breastmilk. Talk to your healthcare provider about the best way to feed your baby while taking XCOPRI.

COMMON SIDE EFFECTS: The most common side effects in patients taking XCOPRI include dizziness, sleepiness, headache, double vision, and feeling tired.

These are not all the possible side effects of XCOPRI. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. For more information, ask your healthcare provider or pharmacist. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at www.fda.gov/medwatch.

DRUG ABUSE: XCOPRI is a federally controlled substance (CV) because it can be abused or lead to dependence. Keep XCOPRI in a safe place to prevent misuse and abuse. Selling or giving away XCOPRI may harm others and is against the law.

INDICATION:

XCOPRI is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older.

It is not known if XCOPRI is safe and effective in children under 18 years of age.

Please see additional patient information in the Medication Guide. This information does not take the place of talking with your healthcare provider about your condition or your treatment.

Please see full Prescribing Information and Medication Guide in pocket.



TAKE S.T.E.P.S. TO A DEEPER CONVERSATION ABOUT YOUR LOVED ONE'S EPILEPSY

Help your loved one **have an open and in-depth conversation with their healthcare provider** about how epilepsy may be impacting their life. Get a **S.T.E.P.S. Discussion Guide** to record and share **S**eizure activity, **T**reatments, **E**motional impact, **P**ersonal goals, and **S**afety at **www.XCOPRI.com/S.T.E.P.S.**

JOIN THE FIGHT AGAINST PARTIAL-ONSET SEIZURES. Visit XCOPRI.com to learn more.

IMPORTANT SAFETY INFORMATION FOR XCOPRI® (cenobamate tablets) CV (cont'd)

Nervous system problems: XCOPRI may cause problems that affect your nervous system. Symptoms of nervous system problems include: dizziness, trouble walking or with coordination, feeling sleepy and tired, trouble concentrating, remembering, and thinking clearly, and vision problems. Do not drive, operate heavy machinery, or do other dangerous activities until you know how XCOPRI affects you.

Do not drink alcohol or take other medicines that can make you sleepy or dizzy while taking XCOPRI without first talking to your healthcare provider.

Please see additional Important Safety Information on pages 10-11 and full Prescribing Information and Medication Guide in pocket.





©2020 SK Life Science, Inc., a subsidiary of SK Biopharmaceuticals Co., Ltd. PM-US-XCOP-0008 03/20